

TOPIC				
SATEL NETCO DEVICE CE, v2.19.1				
Date: 24.10.2024				
<input type="checkbox"/> HW	<input type="checkbox"/> FW	<input checked="" type="checkbox"/> SW	<input type="checkbox"/> New product	<input type="checkbox"/> Other:

APPLIES TO	
This SATEL NETCO DEVICE CE applies to the following products:	
PRODUCTS	REMARKS
SATEL-B2-TR4+ SATEL-B2-TR4+OA SATEL-B2-TR489 SATEL MCCU-20 SATEL-EASy+ SATEL-EASy Pro+ SATEL Proof-R4+ SATEL Proof-TR4+ SATEL Proof-TR489 SATEL Proof-TR9 SATELLINE-EASy SATEL Compact-Proof SATEL Compact-Proof 869 SATELLINE-EASy Pro SATELLINE-EASy 869 SATELLINE-3AS VHF SATEL XPRS IP Radio SATEL XPRS Radio SATEL-TR300 SATEL-TR4+ SATEL-TR4+OA SATEL-R4+ SATEL-TR49 SATEL-TR49 SnapOn SATEL-TR489 SATELLINE-M3-TR9 SATELLINE-M3-R9 SATELLINE-M3-TR1 SATELLINE-M3-TR1 869	
Supported SATEL products with NETCO SW family: https://www.satel.com/products/software/software-product-compatibility-table/	

CHANGES
Maintenance release for SATEL NETCO DEVICE CE software. Changed compared to the previous release v2.18.0 are listed below.

Enhancements	<p>1) Display warning message and don't load the main screen if the path is too deep in the directory tree.</p> <p>2) Make 'Region code' visible for Assisted users (read-only).</p> <p>3) Freewave Modem Mode 1.2315: Remove unsupported options 'Mirrored Bit Master' and 'Mirrored Bit Slave' and add missing option 'Point to Multipoint Slave (RX Only)'.</p> <p>4) Add modes 16-19 (PCC-GMSK) to Radio Compatibility (1.344) of SATEL-R4+, SATEL-TR4+, SATEL-B2-TR4+, SATEL Proof-TR4+, SATEL Proof-R4+, SATEL-TR489, SATEL-B2-TR489 and SATEL Proof-TR489.</p> <p>5) "Option13" re-named as "Alinco". New "Alinco" product-profile is available for all users with SATEL-EASy+ (300MHz band variant) and SATEL-TR300 products.</p> <p>6) Make TX/RX frequencies to be read-only in Alinco product-profile.</p> <p>7) Read TX/RX frequencies after writing the configuration to a device and notify if the values were changed in Alinco product-profile.</p> <p>8) Prevent using 25kHz width in USA region in the compatibility modes SATELLINE-2ASxE (6), Pacific Crest 4800bps (16-19), PacCrest-GMSK (24, 27, 29), Trimtalk 4800bps 25kHz (31).</p>
---------------------	---

KNOWN ISSUES

Please check dynamic release notes to get the latest known issue list:

https://online.satel.com/updates/get.aspx?p=satel_netco_device_ce_win&f=release_notes

COMPATIBILITY / INFORMATION

a) Current variant is compatible with Win10 64-bit OS and Win11 64-bit OS.

b) Extended Validation Code Signing CA

SATEL have adopted Entrust Extended Validation Code Signing CA with device management software.

PACKAGE FILES	
Software file	Description
satel_nd_ce_win_2.19.1.zip	-SATEL NETCO DEVICE CE delivery package. - After downloading and extracting the package to a new folder, please start the netco_device.exe - Please extract this package to a new folder or delete all content from the previous folder.

SUPPORT DOCUMENTS	
File/link	Description
SATEL NETCO DEVICE_v1.3.2.pdf	User manual
NETCO_DEVICE_CLI_User_Guide_1.3.0.pdf	CLI user guide
Dynamic release note: SATEL NETCO DEVICE CE https://online.satel.com/updates/get.aspx?p=satel_netco_device_ce_win&f=release_notes	Release note - online version